



**MORRIS**  
LUBRICANTS

---

# AUTOMOTIVE PRODUCTS

---



PERFORMANCE **DRIVEN** THROUGH TECHNOLOGY...



## PERFORMANCE DRIVEN THROUGH TECHNOLOGY...

As one of Europe's leading manufacturers of automotive lubricants with a history dating back to Benz's first motorcar, we're constantly striving to develop the next generation of products that not only meet, but far exceed, our clients' expectations. Our highly-skilled, expert team works in close collaboration with the world's major automotive OEMs to ensure that our manufacturer-approved range of automotive products continues to meet the very latest and most stringent global standards.

Our automotive product range has been specifically formulated to exceed the technological requirements of today's automobile, from modern family cars and 4x4s to light commercial vehicles and high-performance sports cars. With the ever-increasing complexity of exhaust after-treatment devices (particulate filters and catalysts) and demands for supreme fuel economy, our products not only offer the highest levels of component protection, but ensure that maximum operating efficiency is maintained at all times.



### OVER 150 YEARS OF TRADITION IN EXCELLENCE

James Kent Morris could never have envisaged the future evolution of his business to a global oil exporter when he set up shop in Shrewsbury on December 7, 1869. Over 150 years later and now one of the leading oil blenders in Europe, Morris Lubricants has exported its Superior Quality Lubricants to 90 Countries worldwide. With a proud British heritage the company is one of the largest family-owned lubricants manufacturers that goes back 5 generations.

### BRAND AMBASSADOR, GUY MARTIN

One minute he may be working under a truck, the next racing around a road circuit on a superbike or taking part in another challenge for TV, but Guy Martin remains as down-to-earth as a Lincolnshire lad could be. Now as a proud ambassador for Morris Lubricants he commented on his first visit to the factory:

*"I just thought it was a few blokes in a shed in Shrewsbury, but to come here and see what goes into the blending and testing of the oils is amazing. I was really impressed by the whole Morris operation and it's now an honour to be part of it."*









## AUTOMOTIVE ENGINE OILS



A range of superior quality engine oils suitable for both petrol and diesel engines. Our latest synthetic technology products are an essential component in the operation of low emission engine designs. Their chemical profiles have been carefully tailored to ensure maximum after-treatment device compatibility.






| Product Name  | Pack Shot | Pack Sizes | Part No. | Tech Flags | Specifications  |
|---|-----------|------------|----------|------------|---|
| <b>MULTIVIS ECO Superior quality fuel-efficient and after-treatment device compatible engine oil for petrol and diesel engines.</b> |           |            |          |            |   |
| Multivis ECO PV 0W-20   |           | 12x 1L     | EPV 001  | H FE ST    | ACEA C5, ACEA C6, API SP, Opel/Vauxhall OV0401547-A20, BMW LL-17FE+ (covers BMW LL-14FE+), MB 229.71, Ford WSS-M2C947-B1, Fiat 9.55535-GSX, Chrysler MS-12145, STJLR.03.5006-21* (Verified), API SQ, API SP RC, ILSAC GF-6A, Ford WSS-M2C962-A1, Ford WSS-M2C954-A1, MB229.72, Volvo VCC C6SP (Supersedes RBSO.2AE) |
|   |           | 4 x 5L     | EPV 005  |            |   |
|   |           | 25L        | EPV 025  |            |   |
|   |           | 205L       | EPV 205  |            |   |
| Multivis ECO S 0W-20  |           | 12x 1L     | ECS 001  | H FE ST    | API SP, API SN, API SN Plus, API SN Plus RC, ILSAC GF-6A, GM dexos1™ Gen 2  |
|   |           | 4 x 5L     | ECS 005  |            |   |
|   |           | 25L        | ECS 025  |            |   |
|   |           | 205L       | ECS 205  |            |   |
| Multivis ECO V 0W-30  |           | 12 x 1L    | MZT 001  | FE ST      | API SL, ACEA A5/B5, Volvo 95200377  |
|   |           | 4 x 5L     | MZT 005  |            |   |
|   |           | 25L        | MZT 025  |            |   |
|   |           | 205L       | MZT 205  |            |   |
| Multivis ECO FB 5W-20   |           | 12 x 1L    | MFN 001  | H FE ST    | ACEA C5, Ford WSS-M2C948-B, API SP.   |
|   |           | 4 x 5L     | MFN 005  |            |   |
|   |           | 25L        | MFN 025  |            |   |
|   |           | 205L       | MFN 205  |            |   |
| Multivis ECO FA 0W-30   |           | 12 x 1L    | NFT 001  | FE ST      | ACEA C2, Ford WSS-M2C950-A, STJLR.03.5007 (Verified)  |
|   |           | 4 x 5L     | NFT 005  |            |   |
|   |           | 25L        | NFT 025  |            |   |
|   |           | 205L       | NFT 205  |            |   |
| Multivis ECO PC 0W-30   |           | 12 x 1L    | EPC 001  | FE ST      | API SP, ACEA C2, PSA B71 2312, PSA B71 2302, Fiat 9.55535-GSI, Fiat 9.55535-DSI   |
|   |           | 4 x 5L     | EPC 005  |            |   |
|   |           | 25L        | EPC 025  |            |   |
|   |           | 205L       | EPC 205  |            |   |
| Multivis ECO PC 0W-20   |           | 12 x 1L    | EPT 001  | H FE ST    | ACEA C5, ACEA C6, API SP, PSA B71 2010, Renault RN17FE, Fiat 9.55535-DMI, Fiat 9.55535-GSX  |
|   |           | 4 x 5L     | EPT 005  |            |   |
|   |           | 25L        | EPT 025  |            |   |
|   |           | 205L       | EPT 205  |            |   |
| Multivis ECO H 0W-16  |           | 12 x 1L    | ECH 001  | H FE ST    | API SN  |
|   |           | 4 x 5L     | ECH 005  |            |   |
|   |           | 25L        | ECH 025  |            |   |
|   |           | 205L       | ECH 205  |            |   |
| Multivis ECO VB 0W-20   |           | 12 x 1L    | EVB 001  | FE ST      | Approved under VW Standard 508 00 and VW Standard 509 00, VW TL 52577, Porsche C20  |
|   |           | 4 x 5L     | EVB 005  |            |   |
|   |           | 25L        | EVB 025  |            |   |
|   |           | 205L       | EVB 205  |            |   |
| Multivis ECO FE 0W-20   |           | 12 x 1L    | EFE 001  | FE ST      | ACEA C5, ACEA C6, API SP, API SN Plus, Ford WSS M2C-952-A1, MB 229.71, OV0401547, GM Dexos® D, STJLR 03.5006, ILSAC GF-6.   |
|   |           | 4 x 5L     | EFE 005  |            |   |
|   |           | 25L        | EFE 025  |            |   |
| Multivis ECO VA 0W-30   |           | 12 x 1L    | EVA 001  | ST         | ACEA C3, VW 504.00/507.00, MB 229.52, BMW Longlife 04, Porsche C30.   |
|   |           | 4 x 5L     | EVA 005  |            |   |
|   |           | 205L       | EVA 205  |            |   |
| Multivis ECO T 0W-8   |           | 12 x 1L    | MET 001  | H FE ST    | JASO GLV-I, ILSAC GF-5, API SN  |
|   |           | 4 x 5L     | MET005   |            |   |

\* Backward compatible to STJLR.51.5122 except in cold climates such as Finland, Sweden, Russia, Kazakhstan, China, Norway, Kyrgyzstan, Mongolia.

| Product Name  | Pack Shot   | Pack Sizes | Part No. | Tech Flags | Specifications   |
|---|---|------------|----------|------------|--|
| <b>MULTIVIS ADT Superior quality after-treatment device compatible engine oil for petrol and diesel engines</b>   |   |            |          |            |  |
| Multivis ADT C1 5W-30   |    | 12x 1L     | MCF 001  | FE L ST    | ACEA C1, Ford WSS-M2C934-B*, STJLR.03.5005 (Verified)<br>* Demonstrated 'no harm in use  |
|   |   | 4 x 5L     | MCF 005  |            |  |
|   |   | 25L        | MCF 025  |            |  |
|   |   | 205L       | MCF 205  |            |  |
| Multivis ADT C2 5W-30   |    | 12 x 1L    | CTW 001  | FE M ST    | ACEA C2, API SN, PSA B71 2290 (2014)<br>Please note: Multivis ADT C2 5W-30 has shown no harm in use with engines requiring Fiat 9.55535-S1 and DSI qualified lubricants. |
|   |   | 4 x 5L     | CTW 005  |            |  |
|   |   | 25L        | CTW 025  |            |  |
|   |   | 205L       | CTW 205  |            |  |
| Multivis ADT C3 5W-30   |    | 12 x 1L    | CTH 001  | FE M ST    | ACEA C3, ACEA C2 MB 229.31, MB229.51, PSA B71 2290 (2014), API SN, dexos®2, OV 0141547-D30.<br>Approvals: MB-Approval 229.52   |
|   |   | 4 x 5L     | CTH 005  |            |  |
|   |   | 25L        | CTH 025  |            |  |
|   |   | 205L       | CTH 205  |            |  |
| Multivis ADT C4 5W-30   |    | 12 x 1L    | CFT 001  | FE L ST    | ACEA C3, ACEA C4 Renault RN0720 MB 226.51 MB 229.51  |
|   |   | 4 x 5L     | CFT 005  |            |  |
|   |   | 25L        | CFT 025  |            |  |
|   |   | 205L       | CFT 205  |            |  |
| Multivis ADT C3 5W-40   |   | 12 x 1L    | CFF 001  | M ST       | API SN Plus, ACEA C3, BMW Longlife-04, Ford WSS-M2C917-A, MB229.51/229.31.   |
|   |   | 4 x 5L     | CFF 005  |            |  |
|   |   | 25L        | CFF 025  |            |  |
|   |   | 205L       | CFF 205  |            |  |
| Multivis ADT FD 5W-30   |  | 12 x 1L    | MND 001  | FE ST      | API SL/CF, ACEA A5/B5, Ford WSS-M2C913-D, STJLR.03.5003, RN0700  |
|   |   | 4 x 5L     | MND 005  |            |  |
|   |   | 25L        | MND 025  |            |  |
|   |   | 205L       | MND 205  |            |  |
| Multivis ADT VA 5W-30   |  | 12 x 1L    | VMX 001  | FE M ST    | Approved under VW Standard 504 00 and VW Standard 507 00, ACEA C3, Porsche C30, MB 229.51, BMW Longlife-04   |
|   |   | 4 x 5L     | VMX 005  |            |  |
|   |   | 25L        | VMX 025  |            |  |
|   |   | 205L       | VMX 205  |            |  |
| Multivis ADT DV 5W-30   |  | 12 x 1L    | ADV 001  | FE M ST    | API SP ILSAC GF-6A GM dexos™   Gen 3 OV 0401547 – G30  |
|   |   | 4 x 5L     | ADV 005  |            |  |
|   |   | 25L        | ADV 025  |            |  |
|   |   | 205L       | ADV 205  |            |  |
| Multivis ADT RN 5W-30   |  | 12 x 1L    | MRN 001  | FE M ST    | ACEA C3, Renault RNI7, MB226.52  |
|   |   | 4 x 5L     | MRN 005  |            |  |
|   |   | 25L        | MRN 025  |            |  |
|   |   | 205L       | MRN 205  |            |  |
| <b>MULTIVIS CST Superior quality engine oil with enhanced component protection for petrol and diesel engines.</b> |   |            |          |            |  |
| Multivis CST HP 5W-40   |  | 12x 1L     | MFS 001  | ST         | API SP/CF, ACEA A3 / B4, Renault 0700 and 0710, PSA B71 2296, MB 226.5 / 229.3, VW Standard 502.00/505.00, Fiat 9.55535 M2, Porsche A40, Opel GM-LL-025-A, GM-LL-025-B   |
|   |   | 4 x 5L     | MFS 005  |            |  |
|   |   | 25L        | MFS 025  |            |  |
|   |   | 205L       | MFS 205  |            |  |
| Multivis CST SS 10W-40  |  | 12 x 1L    | MUL 001  | SS         | API SP / CF, ACEA A3 / B4, MB 226.5, MB 229.3, PSA B71 2300, VW 501.01 / 505.00, Renault RN 0700 / 0710  |
|   |   | 4 x 5L     | MUL 005  |            |  |
|   |   | 25L        | MUL 025  |            |  |
|   |   | 205L       | MUL 205  |            |  |

| Product Name  | Pack Shot   | Pack Sizes | Part No. | Tech Flags | Specifications        |
|---|---|------------|----------|------------|-----------------------|
| <b>MULTIVIS MLR Superior quality high performance engine oil developed for demanding motorsport applications.</b> |   |            |          |            |                       |
| Multivis MLR 10W-60   |  | 4 x 5L     | RPM 005  | FS         | ACEA A3/B4, API SN/CF |
|   |   | 25L        | RPM 025  |            |                       |
|   |   | 205L       | RPM 205  |            |                       |
| Multivis MLR 10W-50   |  | 12 x 1L    | COM 001  | FS         | API SN/CF             |
|   |   | 4 x 5L     | COM 005  |            |                       |
|   |   | 25L        | COM 025  |            |                       |
|   |   | 205L       | COM 205  |            |                       |

| <b>SERVOL Superior quality engine oil with enhanced component protection for petrol and diesel engines.</b> |   |         |         |   |                                    |
|---|---|---------|---------|---|------------------------------------|
| Servol 10W-40   |  | 12x 1L  | SPS 001 | ~ | ACEA A3/B3,<br>API SL/SJ/CF        |
|   |   | 4 x 5L  | SPS 005 |   |                                    |
|   |   | 25L     | SPS 025 |   |                                    |
|   |   | 205L    | SPS 205 |   |                                    |
| Servol 15W-40   |  | 12 x 1L | SPP 001 | ~ | ACEA A3/B4,<br>API SL/CF           |
|   |   | 4 x 5L  | SPP 005 |   |                                    |
|   |   | 25L     | SPP 025 |   |                                    |
|   |   | 205L    | SPP 205 |   |                                    |
| Servol 5W-30  |  | 4 x 5L  | SFT 005 | ~ | ACEA C2/C3,<br>MB229.31,<br>API SP |
|   |   | 25L     | SFT 025 |   |                                    |
|   |   | 205L    | SFT 205 |   |                                    |

## GREASES

| Product Name  | Pack Sizes   | Part No. |
|---|--------------|----------|
| <b>K2EP Longlife Grease</b><br>Premium quality multi-purpose lithium complex grease for lubricating all anti-friction and plain bearings.<br>NLGI No.2  | 36 x 400g    | KLG 400  |
|   | 12.5kg keg   | KLG 075  |
|   | 50kg keg     | KLG 050  |
|   | 180kg barrel | KLG 180  |
| <b>K42EP Grease</b><br>Premium quality multipurpose greases for use in all anti-friction and plain bearings subjected to high shock load and vibration conditions. It is used extensively for applications throughout industry and the automotive sector.<br>NLGI No.2  | 36 x 400g    | KFT 400  |
|   | 12 x 500g    | KFT 500  |
|   | 3kg          | KFT 003  |
|   | 12.5kg keg   | KFT 075  |
|   | 50kg keg     | KFT 050  |
|   | 180kg barrel | KFT 180  |
| <b>K383 Anti-Seize Compound</b><br>Lead free anti seize compound, made from high quality mineral oils, non-soap thickener incorporating copper powder and graphite. Anti-seize properties enable this grease to work even if the joints become so compressed that most of the compound is squeezed out, or excessive temperature flashes off the oily part of the compound. A fine film of copper particles always remain in joints or threads to prevent seizure.<br>NLGI No.1/2 | 12 x 500g    | ASC 500  |
|   | 3kg          | ASC 003  |
|   | 12.5kg keg   | ASC 075  |

## BRAKE FLUID / POWER STEERING FLUID

| Product Name                                | Pack Sizes | Part No. | Specifications   |
|---|------------|----------|--|
| <b>Brake Fluid DOT 4</b>                    | 24 x 500ml | BRA 500  | FMVSS 116, DOT 3 and DOT 4, SAE J 1703 and J 1704, ISO 4925 (Classes 3 & 4), JIS K 2233. |
|   | 12 x 1L    | BRA 001  |  |
|   | 4 x 5L     | BRA 005  |  |
|   | 205L       | BRA 205  |  |
|   | 24 x 500ml | ESP 500  |  |
| <b>Brake Fluid ESP DOT 4</b>                | 12 x 1L    | LHM 001  | ISO 7308, PSA B71 2710, Ford ESN M6C 59A.  |
|   | 205L       | LHM 205  |  |
| <b>LHM Plus</b>                             | 12 x 1L    | LHM 001  | Meets the performance requirements of International Standard ISO 7308.                   |
| <b>Multi-System Central Hydraulic Fluid</b> | 12 x 1L    | CHF 001  |  |
| <b>Power Steering Fluid</b>                 | 12 x 1L    | PSF 001  | ~  |

# GEAR & TRANSMISSION OILS



| Product Name         | Pack Sizes | Part No. | Tech Flags | Specifications   |
|----------------------|------------|----------|------------|--|
| Lodexol XFS 75W-90   | 12 x 1L    | XFN 001  | FS AD LS   | API GL-5, WSS M2C939-A, SR-M2C9102-A.  |
|                      | 4 x 5L     | XFN 005  |            |  |
|                      | 25L        | XFN 025  |            |  |
|                      | 205L       | XFN 205  |            |  |
| Lodexol XFS 80W-140  | 12 x 1L    | XFS 001  | FS AD LS   | API GL-5+.   |
|                      | 4 x 5L     | XFS 005  |            |  |
|                      | 25L        | XFS 025  |            |  |
|                      | 205L       | XFS 205  |            |  |
| Lodexol MTFE 75W     | 12 x 1L    | TFE 001  | FE FS MT   | Ford WSS M2C-200D2, API GL-4.<br><i>Please see Technical Data Sheet for full list of specifications.</i>   |
|                      | 4 x 5L     | TFE 005  |            |  |
|                      | 25L        | TFE 025  |            |  |
|                      | 205L       | TFE 205  |            |  |
| Lodexol MTF 75W-80   | 12 x 1L    | MTS 001  | FE FS MT   | API GL-4.<br><i>Please see Technical Data Sheet for full list of specifications.</i>   |
|                      | 4 x 5L     | MTS 005  |            |  |
|                      | 25L        | MTS 025  |            |  |
|                      | 205L       | MTS 205  |            |  |
| Lodexol FS 75W-90    | 12 x 1L    | LSF 001  | FS MT AD   | API GL-4/5   |
|                      | 4 x 5L     | LSF 005  |            |  |
|                      | 25L        | LSF 025  |            |  |
|                      | 205L       | LSF 205  |            |  |
| Multitrans DCT       | 12 x 1L    | DCT 001  | FS MT AD   | VW, Audi, Seat and Skoda 6-speed wet Dual Clutch Transmissions, Ford/Getrag, Volvo, Peugeot, Citroen and Mitsubishi 6-speed wet Dual Clutch Transmissions, MB 7 speed wet dual clutch transmissions, DCT's fitted to Hybrid Vehicles.<br><i>Please see Technical Data Sheet for full list of specifications.</i>   |
|                      | 4 x 5L     | DCT 005  |            |  |
|                      | 25L        | DCT 025  |            |  |
|                      | 205L       | DCT 205  |            |  |
| Multitrans MPC       | 12 x 1L    | MPC 001  | FS MT      | GM DEXRON® IIIH MB 236.6, Chrysler ATF +3, Chrysler ATF +4, Nissan MATIC D/J/K, Honda Z-1 Toyota T-IV, JASO 1A-LV, Mitsubishi J2 and J3, ZF TE-ML 05L, 11A, 11B, 21L.<br>Also suitable for use in applications requiring MB 236.11/12/14/15.<br><i>Please see Technical Data Sheet for full list of specifications.</i>  |
|                      | 4 x 5L     | MPC 005  |            |  |
|                      | 25L        | MPC 025  |            |  |
|                      | 205L       | MPC 205  |            |  |
| Multitrans CVT       | 12 x 1L    | CVT 001  | FS AT      | Toyota CVTF TC, Subaru ECVT, Toyota CVTF FE Subaru iCVT, Nissan NS-1, Daihatsu Ammix CVT, Nissan NS-2, Suzuki CVTF TC, Honda HMMF*21, Suzuki NS-2, Honda HCF2, Suzuki CVT Green 1, Mitsubishi SP-III (CVT Only), Hyundai SP-III (CVT Only), Mitsubishi CVTF-J1, Chrysler Jeep NS-2, Mini Cooper EZL799. Jatco systems include: JF009E, JF010E, JF011E, F06A, FIC1. NOTE: Not recommended for Hybrid E-CVT and Toroidal CVT. Chain type CVTs, and electro-powershift have not yet been validated. |
|                      | 4 x 5L     | CVT 005  |            |  |
|                      | 25L        | CVT 025  |            |  |
|                      | 205L       | CVT 205  |            |  |
| Liquimatic DS        | 12 x 1L    | DXS 001  | FE FS MT   | Can be used where the following is specified: Dexron®, Dexron®II, III, VI or IIIH. Other specifications include: MB 236.5, Chrysler M1375.4, ZF TE-ML 09, Mercon LV, Mitsubishi SP-IV, Volvo 97340, Voith 55.6335.xx.<br><i>Please see Technical Data Sheet for full list of specifications.</i>   |
|                      | 4 x 5L     | DXS 005  |            |  |
|                      | 25L        | DXS 025  |            |  |
|                      | 205L       | DXS 205  |            |  |
| Liquimatic Super ATF | 12 x 1L    | ATF 001  | SS AT      | Dexron® IIIH<br>Ford ESP-M2CI38-CJ / 166-H Ford Mercon®, Allison TES-228 (C-4).<br><i>Please see Technical Data Sheet for full list of specifications.</i>   |
|                      | 4 x 5L     | ATF 005  |            |  |
|                      | 25L        | ATF 025  |            |  |
|                      | 205L       | ATF 205  |            |  |
| Liquimatic DII       | 12 x 1L    | LDT 001  | AT PM      | GM Dexron II® D, Ford ESP-M2CI38-CJ / 166-H.   |
|                      | 4 x 5L     | LDT 005  |            |  |
|                      | 25L        | LDT 025  |            |  |
|                      | 205L       | LDT 205  |            |  |
| Multitrans ULV       | 12 x 1L    | ULV 001  | FE AT      | Aisin Warner AW-2,<br>Ford Mercon ULV / WSS-M2C949-A,<br>Opel/GM Dexron ULV,<br>MB 236.17.   |
|                      | 25L        | ULV 025  |            |  |

# A COMPREHENSIVE RANGE OF WORLD-CLASS PRODUCTS, DESIGNED TO PERFORM

Morris Lubricants sell a wide range of products to cover a multitude of applications. If you have a specific product requirement that is not covered in this brochure, please call a member of our sales team on 01743 232 200, or email [info@morris-lubricants.co.uk](mailto:info@morris-lubricants.co.uk).




HEAVY DUTY DIESEL ENGINE OILS



HORTICULTURAL LUBRICANTS



COOLANTS




SUSPENSION FLUIDS



BIODEGRADABLE LUBRICANTS




COMPRESSOR OILS



GAS ENGINE OILS



CORROSION PROTECTION



HYGIENE & CLEANING



AEROSOLS

*The quality and reputation of our products are the cornerstone of our business. Manufactured in the UK to the most stringent OEM and international standards.*

## WORKSHOP PRO



### MEETING THE TOUGH DEMANDS OF THE MAINTENANCE PROFESSIONAL

Workshop Pro is a range of superior performance maintenance aerosols, workshop consumables and hand care products suitable for a multitude of demanding applications.



|   |  |  |   |
|---|--|--|---|
| <br><b>bsi</b><br>ISO 9001<br>Quality<br>Management<br>Systems<br><b>CERTIFIED</b> | ISO 14001<br>Environmental<br>Management<br><b>CERTIFIED</b> | ISO 45001<br>Occupational<br>Health and Safety<br>Management<br><b>CERTIFIED</b> | ISO 50001<br>Energy<br>Management<br><b>CERTIFIED</b> |
| FM 21756  | EMS 60044  | OHS 555083   | ENMS 619355   |



[/morrislubricants](https://www.facebook.com/morrislubricants) | 
 [@morrislubricantsuk](https://www.instagram.com/morrislubricantsuk) | 
 [/morris-lubricants](https://www.linkedin.com/company/morris-lubricants)  
**www.morrislubricants.co.uk**

All the products are reflective of the latest specifications at the time of going to press and are part of a continuous development programme. The company reserves the right to change formulation and specification, without prior notice to meet the latest trends and developments in lubricant and grease technology. For more detailed information on any product and confirmation of the latest specifications contact our Technical Services Department. Full product data sheets and health and safety information is available on request.